AUGUST 2023 EBS 303 CLOTHING CONSTRUCTION 2 HOURS

Candidate's Index Number	
·	
Signature:	

UNIVERSITY OF CAPE COAST COLLEGE OF EDUCATION STUDIES SCHOOL OF EDUCATIONAL DEVELOPMENT AND OUTREACH INSTITUTE OF EDUCATION

COLLEGES OF EDUCATION FOUR-YEAR BACHELOR OF EDUCATION (B.ED) THIRD YEAR, END-OF-FIRST SEMESTER EXAMINATION, AUGUST 2023

23RD AUGUST 2023

CLOTHING CONSTRUCTION

2:00 PM - 2:30 PM

This paper consists of two sections, A and B. Answer ALL the questions in Section A and TWO questions from Section B. Section A will be collected after the <u>first 30 minutes</u>.

SECTION A (20 MARKS)

Answer ALL questions in this Section.

For items 1 to 15, each stem is followed by four options lettered A to D. Read each item carefully and circle the letter of the correct or best option.

and	circle the letter of the correct or best option.	•	
1.	It is advised to shop for fabric using daylight because		

- A. artificial lighting can distort some colours.
- B. it is cheaper when you buy during the day.
- C. people mostly cheat shoppers in the night.
- D. the shops are not crowded during the day.
- 2. The **best** sequence of the activities used in garment construction is
 - A. Cutting pattern adaptation pattern adjustment sewing.
 - B. Cutting pattern adjustment pattern adaptation sewing.
 - C. Pattern adaptation pattern adjustment cutting sewing.
 - D. Pattern adjustment pattern adaptation cutting sewing.
- 3. Underlying fabrics offer all the following support to garments **except**
 - A. body.
 - B. drape.
 - C. stiffness
 - D. strength.

4.	How is a <i>cross back</i> measurement taken on the body? From
5.	A. each season demands specific colour combination. B. some seasons are longer than others. C. specific seasons require special fabrics that offer comfort. D. the season determines the quantity of fabric to use.
6.	Flaws that may possibly be found in fabrics to be used for clothing construction include all the following except
7.	A. increasing the body size. B. making garment fit snuggly. C. reducing the body size. D. stretching out of shape.
8.	A. make the grain perfect. B. pre-shrink the fabric. C. reduce fabric odour. D. remove creases.
9.	Reinforcement stitches are used so that the area would be strengthened to withstand the strain and may be used in all these areas except
10.	Where on garments may <i>mitre</i> be most appropriately used? A. Chest area of blouses B. Curved waistlines C. Round edges of hems D. Square edges of hems
11.	Why are curved parts of collar notched after stitching before turning to right side? To

12.	The shawl collar seam at the centre back of bodice is usually on which grain? grain A. Bias B. Central C. Crosswise D. Straight
13.	All openings may be used for male and female garments but what would mostly distinguish a male from a female garment is
14.	Shirring is expected to be done on which weight of fabric? fabric A. Bonded B. Heavy-weight C. Light-weight D. Thick
15.	How much fabric length is required for one pleat of twelve centimetres (12cms) width? A. 12cms B. 24cms C. 36cms D. 48cms
Iter and	ns 16 to 20 are statements followed by True and False options. Read each statement carefully indicate whether it is True or False by circling the letter of the correct option.
16.	In garment designing, if the person has large bust, the dart size must be small. A. True B. False
17.	Easing as a technique in clothing construction must have fullness slightly visible, but no gathers must be seen. A. True B. False
18.	A pin, needle, toothpick or matchstick may be placed across a flat button when fixing to create a neck. A. True B. False
19.	Bias tape is more convenient to join straight but does not allow stitches to be placed on a straight grain. A. True B. False
20.	Shell edge is a finish which is mostly used for edges of fabric that are very heavy. A. True B. False